

# sidero seating | product specification

## Multi-Purpose Side Chairs and Stools

Models: 6900, 6901, 6902, 6903, 6904, 6905, 6906, 6907, 6908, 6909, 6910

### Task Chair

Model: 6915

#### Side Chair Dimensions (Models: 6900, 6901, 6902, 6903)

Overall Depth		24 in / 610 mm
Overall Width	6900, 6902	25.5 in / 648 mm
	6901, 6903	21 in / 533 mm
Overall Height		33 in / 838 mm
Seat Depth		18 in / 457 mm
Seat Width		19.5 in / 495 mm
Seat Height		17.5 in / 445 mm
Armrest Clearance	6900, 6902	21 in / 533 mm
	6901, 6903	No arms
Arm Height - From Seat	6900, 6902	8.5 in / 216 mm
	6901, 6903	No arms
Back Height - From Seat		15.5 in / 394 mm
Product Weight	6900	23 lb / 10.5 kg
	6901	20 lb / 9.1 kg
	6902	26 lb / 11.8 kg
	6903	24 lb / 10.9 kg
Shipping Cube	6900, 6902	13.5 ft <sup>3</sup> / 0.38 m <sup>3</sup>
	6901, 6903	11.25 ft <sup>3</sup> / 0.32 m <sup>3</sup>

#### Stool Dimensions (Models: 6904, 6905, 6906, 6907)

Overall Depth		24 in / 610 mm
Overall Width	6904, 6906	25.5 in / 648 mm
	6905, 6907	21 in / 533 mm
Overall Height	6904, 6905	40.5 in / 1029 mm
	6906, 6907	44.5 in / 1130 mm
Seat Depth		18 in / 457 mm
Seat Width		19.5 in / 495 mm
Seat Height	6904, 6905	24.5 in / 622 mm
	6906, 6907	28.5 in / 724 mm
Armrest Clearance	6904, 6906	21 in / 533 mm
	6905, 6907	No arms
Arm Height - From Seat	6904, 6906	8.5 in / 216 mm
	6905, 6907	No arms
Back Height - From Seat		15.5 in / 394 mm
Product Weight	6904, 6907	24 lb / 10.9 kg
	6905	22 lb / 10.0 kg
	6906	26 lb / 11.8 kg
Shipping Cube	6904	17.5 ft <sup>3</sup> / 0.50 m <sup>3</sup>
	6905	14.5 ft <sup>3</sup> / 0.41 m <sup>3</sup>
	6906	20 ft <sup>3</sup> / 0.57 m <sup>3</sup>
	6907	15.75 ft <sup>3</sup> / 0.45 m <sup>3</sup>



6900C (casters)



6902



6906



6915



TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015  
1300 724 174 | info@kezu.com.au

# sidero seating | product specification

## Children's Chair Dimensions (Model: 6909)

Overall Depth	15.5 in / 394 mm
Overall Width	15.5 in / 394 mm
Overall Height	24 in / 610 mm
Seat Depth	10 in / 254 mm
Seat Width	14 in / 356 mm
Seat Height	13 in / 330 mm
Back Height - From Seat	11 in / 279 mm
Product Weight	11 lb / 5.0 kg
Shipping Cube	4.1 ft <sup>3</sup> / 0.12 m <sup>3</sup>

## Armless Task Chair Dimensions (Model: 6915)

Overall Depth	29 in / 737 mm
Overall Width	21 in / 533 mm
Overall Height	35 in / 889 mm
Seat Depth	18 in / 457 mm
Seat Width	19.5 in / 495 mm
Seat Height	16-21 in / 406-533 mm
Back Height - From Seat	15.5 in / 394 mm
Product Weight	25 lb / 11.4 kg
Shipping Cube	15.75 ft <sup>3</sup> / 0.45 m <sup>3</sup>

Contact sales representative for more information.

## Features

- Wall saver leg design prevents chair back from contacting walls before legs contact baseboards
  - Front edge of seat is a seamless waterfall
- MODELS: 6900, 6901
- Four leg stacking chair
  - Stack up to five high on floor or up to eight high on dolly
- MODELS: 6902, 6903
- Sled base chair
- MODELS: 6904, 6905
- Counter height stool
- MODELS: 6906, 6907
- Bar height stool
- MODEL: 6915
- Task chair with pneumatic height adjustment

## Options

- Chair frame is available in Black or Tungsten finish as standard. Also available in Chrome
- MODELS: 6900, 6901
- Alternate models are available with dual wheel casters on four leg chairs
  - Chairs with casters can be stacked up to three high on floor
- MODELS: 6900, 6901, 6902, 6903
- Side chairs are available with tablet arms

## Construction (Base Frame)

- Frame is constructed with 0.875 in (22 mm) diameter tubing
  - 12 gauge steel tube
- MODEL: 6915
- Task chair has injection molded nylon base, fiberglass reinforced
  - 26 in (660 mm) diameter

## Construction (Arms)

- MODELS: 6900, 6902, 6904, 6906
- Fiberglass reinforced nylon arms on steel frame
  - 2.125 in (54 mm) wide, full length of chair

## Construction (Seat)

- 0.5 in (13 mm) thick plywood seat pan, 9-ply
  - Seat is fastened to brackets on steel frame
- MODELS: 6900, 6901
- Underside of seat and frame are covered with polypropylene shroud to avoid imprints when stacking chairs

## Construction (Back)

- 0.5 in (13 mm) thick plywood back insert, 8-ply
- Plywood panel on back side is 0.125 in (3 mm) thick

## Construction (Glides)

- MODELS: 6900, 6901, 6904, 6905, 6906, 6907, 6908, 6909, 6910
- Standard with four black, polypropylene glides. Non-marking glides, available on request
  - Steel, self-leveling glides, also available

## Construction (Casters)

- Dual wheel
  - Carpet casters are standard. Hard flooring casters, also available
- MODELS: 6900C, 6901C
- Side chair casters have 2.5 in (64 mm) diameter
- MODEL: 6915
- Task chair casters have 2 in (51 mm) diameter



## TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015  
1300 724 174 | info@kezu.com.au

# sidero seating | product specification

## Construction (Tablet)

- Two types of optional tablet arm are available:
  - Black polymer tablets:  
18 in deep by 14.5 in wide (457 mm by 368 mm)
  - High pressure laminate tablet:  
18.5 in deep by 18.5 in wide (470 mm by 470 mm).  
Bull nose edge. Available in Black, Grey, Constellation Java, White or Tiger Maple finish
- Tablets can be applied to right or left side of chair
- Tablets hinge up and out of the way for ease of access
- Tablets move forward and back to accommodate any size of user
- Extremely rugged construction

## Upholstery

- Can be upholstered in fabric, vinyl or leather

## Foam

- Back foam is 1 in (25 mm) thick. Density: 1.5 lb, ILD: 40
- Seat foam is 2 in (51 mm) thick Ultracell (high density) foam

## Weight Capacity

Designed for an active weight capacity of 300 lb.

## Warranty

Lifetime warranty on all components except the following:

- 5 year warranty on foam and textiles
- 12 year warranty on control mechanisms
- Warranty applies only to single shift, standard commercial usage (8 hours/day, 5 days/week)

## Fire Rating

All foam and textiles are tested and certified, meeting California Technical Bulletin 117 (CAL TB 117-2013) standards.

## Environmental

View [Environmental Data Sheets](#) online.

All foam is produced without using any ozone depleting chloro-flouro chemicals.

## Awards/Certifications

- Meets or exceeds all applicable BIFMA standards for safety and durability
- Manufactured in ISO 9001 and 14001 certified facilities

**Please visit [globalfurnituregroup.com](http://globalfurnituregroup.com) for additional product information including environmental certifications.**



## TRADE SHOWROOM

Showroom 33, Level 1, 69 O'Riordan Street, Alexandria NSW 2015  
1300 724 174 | [info@kezu.com.au](mailto:info@kezu.com.au)